TAGElement nameExplanationAttributes

HTML ExampleView HTML

Contents

Document Elements

Body Elements

Style and Appearance Elements

Anchor Element: Links and Named Targets

Image Element

List Elements

Other Elements

Document Elements

```
HTMLHTMLTells browser that the included text is in HTML formatElement
includes Head, Body, and other elements
<HTML>
<HEAD></HEAD>
<BODY>
</BODY>
</HTML>
HEADHeaderIncludes 'header', non-displaying information about the
document, like the TITLE and other descriptive tagsElement can include
Title, Meta, Base and other elements
<HEAD>
<TITLE>Basic HTML Elements</TITLE>
</HEAD>
TITLEDocument TitleTitle that appears in Browser header and on bookmark
lists. Should be concise and meaningful.
<TITLE>Basic HTML Elements</TITLE>[see top of this page]
BODYDocument BodyDefines the content of the document.BGCOLOR, BACKGROUND,
TEXT, LINK, ALINK, VLINK
```

```
Body Elements
   H1
   H2
   Н3
   H4
   H5
   H6HeadingText of the Element is a section heading. Headings are numbered
   and displayed in order of decreasing importance. Headings are separate
   paragraphs.ALIGN
   <H1 ALIGN="CENTER">Page Name</H1>
   <H2>Section Heading</H2> Page Name
   Section Heading
   PParagraphDefines paragraphs in the document. Usually paragraphsALIGN
   <P>First paragraph, no content.</P>
   <P>Second paragraph, slightly more content here.</P> First paragraph, no
   content.
   Second paragraph, slightly more content here.
   BRBreak or Line BreakPuts a single break in the middle of a paragraph,
   list item, etc.
   <P>First paragraph, <BR> no content.</P> First paragraph,
   HRHorizontal RuleRuns a horizontal line across the page (or table
   cell)SIZE
   WIDTH
   <HR SIZE="10" WIDTH="50%">
   DIVDivisionDefines a particular section of the document. Used to spread
   document attributes across a whole section.ALIGN
   VALIGN, etc
   <DIV ALIGN="RIGHT">
   </DIV>
   BLOCKQUOTEBlock QuoteDisplays a block of text quoted from another
   document. Usually indented on all four sides.
   <BLOCKQUOTE>Far off in a distant backwater of the unfashionable end of the
```

western spiral arm of the galaxy....</BLOCKQUOTE> Far off in a distant backwater of the unfashionable end of the western spiral arm of the galaxy...

PREPreformatted TextUses formatting (spacing, tabs, carriage returns, breaks, etc.) exactly as in the plain ASCII text of the document. Usually displays in a fixed font, such as Courier.

<PRE>User Services Begins

Here</PRE> User Services Begins

Here

Style and Appearance Elements

STRONGStrong emphasis(logical formatting). Very important text. Generally displays as Bold.

Very Important Very Important

EMEmphasis (logical formatting) Important text. Generally displays as

Italic

Important informationImportant information

CITECitationTitle of a cited work. Generally displays as Italic

<CITE>Huckleberry Finn,</CITE>, by Mark Twain. Huckleberry Finn, by Mark

Twain

CODEComputer CodeIndicates computer code, such as programming languages, computer commands, etc. Usually displays in a fixed font.

<CODE>cd /ahome/userid/public/www-data</CODE>cd

/ahome/userid/public/www-data

BBoldDisplays text as bold.

Bloody, bold and resoluteBloody, bold and resolute

IItalicDisplays text as italic

<I>Caveat emptor</I>: let the buyer beware!Caveat emptor: let the buyer

beware!

UUnderlineShows text as underlined (not supported by older versions of Netscape).

<U>Underlined Text</U>Underlined Text

TTFixed fontDisplays text in a 'fixed' font (in which each letter is the same size, such as Courier)-- similar to PRE, CODE, etc.

<TT>Fixed Text</TT>Fixed Text

FONTFont appearance. Sets relative or absolute font size, font color. SIZE

```
COLOR
```

Colored textColored text

Anchor Element: Links and Named Targets

Α

HREF="URL"Hypertext link (Special case of the Anchor element)Allows the user to retrieve the document at the specified URL by clicking on the contents of the element. (Usually displayed as blue and underlined.) The URL may include a named target.NAME, REL, REV URN,TITLE,TARGET Go to named anchor sectionGo to named anchor section.

Α

NAME="name"Named Anchor, or targetSets a 'target'/'anchor' which hypertext links can point to.HREF, REL, REV URN,TITLE,TARGET Named TargetNamed Target

Image Element

IMG

ImageDisplays an 'inline' (embedded in the document) image in the document. Source (SRC="") gives the full or partial URL of the image file to use; ALT gives the alternative/caption text for the imageSOURCE, ALT, HEIGHT, WIDTH, BORDER

List Elements

ULUnordered ListBullet List. Items in the list are LI elements.

Lists can be nested.TYPE

First Item

Second Item

First Item

Second Item

OLOrdered ListNumberd (or lettered) list.

Items in the list are LI elements.

Lists can be nested.TYPE

<OL TYPE="A">

```
<LI>Second Item
</OL>First Item
 Second Item
LIList itemAn item in a bullet or numbered list.
List items can include other lists (nesting lists), line breaks, and other
HTML tags.
Close tags </LI> are optional.
\langle UL \rangle
<LI>List item One
\langle UL \rangle
<LI>Niggle One
<LI>Niggle Two
</UL>
<LI>List item Two
</UL> List item One
  Niggle One
  Niggle Two
 List item Two
DLDescriptive List or
Definition ListA list of terms with definitions or entries with
annotations.
Contains DT and DD elements.
DT elements are the 'terms' or main entries
DD elements are the definitions or annotations.
\langle DL \rangle
<DT>Hack
<DD>To program skillfully.
<DT>Crack
<DD>To break into a computer system
</DL>Hack
To program skillfully.
Crack
To break into a computer system.
DTTerm in Definiton listIn an annotated list, the item or term being
```

First Item

```
annotated
   <DL>
   <DT>Hack
   <DD>To program skillfully
   </DL>Hack
    To program skillfully.
   DDDefinition in Definition listIn an annotated list, the annotation or
   definition
\langle DL \rangle
<DT>Hack
<DD>
  <OL>
  <LI>[v.]to program skillfully
  <LI>[n.,archaic]a makeshift, a kludge
  </OL>
</DD>
</DL>Hack
      [v.] to program skillfully
      [n.,archaic] a makeshift, a kludge
Other Elements
   <!-- -->CommentInserts a 'comment' which does not display on the browser
   screen, but can be seen in the file itself when viewing the source or
   editing the HTML.
```

<!-- This is a comment -->

created 9/97 by JAH